

## REFERENCES

- Ahmed, M. and Mahmood, A.N. (2015). Novel approach for network traffic pattern analysis using clustering-based collective anomaly detection. *Annals of Data Science*, 2(1), 111-130.
- Akhiomen, J. (2013). *Data mining application for cyber credit-card fraud detection system*. Perner, P. (Eds.). Advances in data mining. Applications and theoretical aspects: 13th industrial conference, icdm 2013, new york, ny, USA, july 16-21, 2013. Proceedings. Berlin, Heidelberg: Springer Berlin Heidelberg.
- Al Kanawathi, J., Mokri, S.S., Ibrahim, N., Hussain, A. and Mustafa, M.M. (2009). Motion detection using horn schunck algorithm and implementation. *Proceedings of the Electrical Engineering and Informatics, 2009. ICEEI '09. International Conference on*, pp. 83-87.
- Alamri, Y.A. (2010). Emergency management in saudi arabia: Past, present and future. *Un. Of Christchurch report, New Zealand*, 21.
- Aleskerov, E., Freisleben, B. and Rao, B. (1997). Cardwatch: A neural network based database mining system for credit card fraud detection. *Proceedings of the Computational Intelligence for Financial Engineering (CIFEr), 1997., Proceedings of the IEEE/IAFE 1997*, pp. 220-226.
- Ali, S. and Shah, M. (2007). A lagrangian particle dynamics approach for crowd flow segmentation and stability analysis. *Proceedings of the Computer Vision and Pattern Recognition, 2007. CVPR'07. IEEE Conference on*, pp. 1-6.
- Amir Sjarif, N., Shamsuddin, S., Mohd Hashim, S. and Yuhaniz, S. (2011). *Crowd analysis and its applications*. Mohamad Zain, J., Wan Mohd, W. and El-Qawasmeh, E. (Eds.). Software engineering and computer systems. Springer Berlin Heidelberg.
- Anders, J. (2004). Pedestrian simulations with the social force model. *Germany: Dresden University of Technology*.
- Andrade, E.L., Blunsden, S. and Fisher, R.B. (2006). Hidden markov models for optical flow analysis in crowds. *Proceedings of the 18th International Conference on Pattern Recognition (ICPR'06)*, pp. 460-463.
- Antonakaki, P., Kosmopoulos, D. and Perantonis, S.J. (2009). Detecting abnormal human behaviour using multiple cameras. *Signal Processing*, 89(9), 1723-1738.
- Arshad, M.R. and Soori, U. (2010). *Group tracking algorithm for crowded scene*. INTECH Open Access Publisher.
- Bai, Y., Xu, Y., Yang, X. and Yan, Q. (2013). Measuring orderliness based on social force model in collective motions. *Proceedings of the Visual Communications and Image Processing (VCIP), 2013*, pp. 1-6.

- Bansal, A. and Venkatesh, K. (2015). People counting in high density crowds from still images. *arXiv preprint arXiv:1507.08445*.
- Barron, J.L., Fleet, D.J. and Beauchemin, S.S. (1994). Performance of optical flow techniques. *International Journal of Computer Vision*, 12(1), 43-77.
- Bartolini, F. and Piva, A. (1997). Enhancement of the horn and schunck optic flow algorithm by means of median filters. *Proceedings of the Digital Signal Processing Proceedings, 1997. DSP 97., 1997 13th International Conference on*, pp. 503-506 vol.2.
- Beibei Zhan, Dorothy N. Monekosso, Paolo Remagnino, Sergio A. Velastin and Xu, L.-Q. (2008). Crowd analysis: A survey. *Machine Vision and Applications*, (19), 345-357.
- Benabbas, Y., Ihaddadene, N. and Djeraba, C. (2010). Motion pattern extraction and event detection for automatic visual surveillance. *EURASIP Journal on Image and Video Processing*, 2011(1), 1-15.
- Benabbas, Y., Ihaddadene, N. and Djeraba, C. (2011). Motion pattern extraction and event detection for automatic visual surveillance. *J. Image Video Process.*, 2011-15.
- Black, M.J. and Anandan, P. (1993). A framework for the robust estimation of optical flow. *Proceedings of the Computer Vision, 1993. Proceedings., Fourth International Conference on*, pp. 231-236.
- Bouma, H., Baan, J., Landsmeer, S., Kruszynski, C., Van Antwerpen, G. and Dijk, J. (2013). Real-time tracking and fast retrieval of persons in multiple surveillance cameras of a shopping mall. *Proceedings of the*, pp. 87560A-87560A-13.
- Bradley, A.P. (1997). The use of the area under the roc curve in the evaluation of machine learning algorithms. *Pattern recognition*, 30(7), 1145-1159.
- Cao, T., Wu, X., Guo, J., Yu, S. and Xu, Y. (2009). Abnormal crowd motion analysis. *ROBIO*, 91709-1714.
- Cho, S.-H. and Kang, H.-B. (2012). Integrated multiple behavior models for abnormal crowd behavior detection. *Proceedings of the Image Analysis and Interpretation (SSIAI), 2012 IEEE Southwest Symposium on*, pp. 113-116.
- Cho, S.-Y., Chow, T.W. and Leung, C.-T. (1999). A neural-based crowd estimation by hybrid global learning algorithm. *IEEE Transactions on Systems, Man, and Cybernetics, Part B (Cybernetics)*, 29(4), 535-541.
- Cong, Y., Yuan, J. and Liu, J. (2011). Sparse reconstruction cost for abnormal event detection. *Proceedings of the Computer Vision and Pattern Recognition (CVPR), 2011 IEEE Conference on*, pp. 3449-3456.
- Cong, Y., Yuan, J. and Liu, J. (2013). Abnormal event detection in crowded scenes using sparse representation. *Pattern Recognition*, 46(7), 1851-1864.

- Costa, E., Lorena, A., Carvalho, A. and Freitas, A. (2007). A review of performance evaluation measures for hierarchical classifiers. *Proceedings of the Evaluation Methods for Machine Learning II: papers from the AAAI-2007 Workshop*, pp. 1-6.
- Cristani, M., Raghavendra, R., Del Bue, A. and Murino, V. (2013). Human behavior analysis in video surveillance: A social signal processing perspective. *Neurocomputing*, 10086-97.
- Cui, J., Liu, W. and Xing, W. (2014). Crowd behaviors analysis and abnormal detection based on surveillance data. *Journal of Visual Languages & Computing*, 25(6), 628-636.
- Cui, X., Liu, Q., Gao, M. and Metaxas, D.N. (2011). Abnormal detection using interaction energy potentials. *Proceedings of the Computer Vision and Pattern Recognition (CVPR), 2011 IEEE Conference on*, pp. 3161-3167.
- Dalal, N. and Triggs, B. (2005). Histograms of oriented gradients for human detection. *Proceedings of the Computer Vision and Pattern Recognition, 2005. CVPR 2005. IEEE Computer Society Conference on*, pp. 886-893 vol. 1.
- De La Calle Silos, E., Gonzalez Diaz, I. and Diaz De Maria, E. (2013). Mid-level feature set for specific event and anomaly detection in crowded scenes. *Proceedings of the Image Processing (ICIP), 2013 20th IEEE International Conference on*, pp. 4001-4005.
- Del Sent, A. and Roisenberg, M. (2015). Fuzzy social force model. *Proceedings of the Fuzzy Systems (FUZZ-IEEE), 2015 IEEE International Conference on*, pp. 1-8.
- Duan-Yu, C. and Po-Chung, H. (2013). Visual-based human crowds behavior analysis based on graph modeling and matching. *Sensors Journal, IEEE*, 13(6), 2129-2138.
- Fata, A.Z.A., Kari, S. and Rahim, M.S.M. (2015). Tawaf crowd simulation using social force model. *Jurnal Teknologi*, 75(2).
- Fawcett, T. (2006). An introduction to roc analysis. *Pattern recognition letters*, 27(8), 861-874.
- Ferrer, G., Garrell, A. and Sanfeliu, A. (2013). Robot companion: A social-force based approach with human awareness-navigation in crowded environments. *Proceedings of the 2013 IEEE/RSJ International Conference on Intelligent Robots and Systems*, pp. 1688-1694.
- Fischler, M.A. and Bolles, R.C. (1981). Random sample consensus: A paradigm for model fitting with applications to image analysis and automated cartography. *Communications of the ACM*, 24(6), 381-395.
- Frémond, M. (2016). *Collisions engineering: Theory and applications*. Springer Berlin Heidelberg.

- Fujimaki, R., Yairi, T. and Machida, K. (2005). An approach to spacecraft anomaly detection problem using kernel feature space. *Proceedings of the In Proceedings of the eleventh ACM SIGKDD international conference on Knowledge discovery in data mining*, pp. 401-410.
- Gad-El-Hak, M. (2008). *Large-scale disasters: Prediction, control, and mitigation*. Cambridge University Press.
- Gao-Wei, Y., Chuang-Qin, L. and Lu, M.-c. (2012). A novel swarm optimization algorithm based on social force model for multimodal functions. *Proceedings of the 24th Chinese Control and Decision Conference (CCDC), 2012* pp. 849-854.
- Ghazali, K.H., Samsudin, W.A.W. and Hamid, N.N.M. (2012). Motion detection for pc based on security system by using optical flow. *International Journal on Advanced Science, Engineering and Information Technology*, 2(1), 101-104.
- Gnanavel, V.K. and Srinivasan, A. (2015). *Abnormal event detection in crowded video scenes*. Satapathy, C.S., Biswal, N.B., Udgata, K.S. and Mandal, K.J. (Eds.). *Proceedings of the 3rd international conference on frontiers of intelligent computing: Theory and applications (ficta) 2014: Volume 2*. Cham: Springer International Publishing.
- Gu, X., Cui, J. and Zhu, Q. (2014). Abnormal crowd behavior detection by using the particle entropy. *Optik - International Journal for Light and Electron Optics*, 125(14), 3428-3433.
- Güler, P., Temizel, A. and Temizel, T.T. (2013). Real-time global anomaly detection for crowd video surveillance using sift. *IET Conference Proceedings*. 1.12-1.12. XX
- Guogang, X., Xinyu, W., Yen-Lun, C. and Yongsheng, O. (2011). Abnormal crowd behavior detection based on the energy model. *Proceedings of the Information and Automation (ICIA), 2011 IEEE International Conference on*, pp. 495-500.
- Hasanzadeh, P., Shahmirzaie, A. and Rezaie, A. (2005). Motion detection using differential histogram equalization. *Proceedings of the Proceedings of the Fifth IEEE International Symposium on Signal Processing and Information Technology, 2005.*, pp. 186-189.
- Hassan, E. and Maurya, A.K. (2015). Real-time video analysis for retail stores. *Proceedings of the*, pp. 94432B-94432B-10.
- Helbing, D., Farkas, I. and Vicsek, T. (2000). Simulating dynamical features of escape panic. *Nature*, 407(6803), 487-490.
- Helbing, D. and Molnar, P. (1995). Social force model for pedestrian dynamics. *Physical review E*, 51(5), 4282.
- Horn, B.K.P. and Schunck, B.G. (1981). Determining optical flow. *Artificial Intelligence*, 17(1-3), 185-203.

- Hou, L., Liu, J.-G., Pan, X. and Wang, B.-H. (2014). A social force evacuation model with the leadership effect. *Physica A: Statistical Mechanics and its Applications*, 400(0), 93-99.
- Hu, M., Ali, S. and Shah, M. (2008). Detecting global motion patterns in complex videos. *Proceedings of the Pattern Recognition, 2008. ICPR 2008. 19th International Conference on*, pp. 1-5.
- Hua, Y., Yihua, C., Shuang, W., Weiyao, L., Shibao, Z. and Zhenghua, Y. (2012). Abnormal crowd behavior detection based on local pressure model. *Proceedings of the Signal & Information Processing Association Annual Summit and Conference (APSIPA ASC), 2012 Asia-Pacific*, pp. 1-4.
- Huang, S., Huang, D. and Khuhro, M.A. (2015). Crowd motion analysis based on social force graph with streak flow attribute. *Journal of Electrical and Computer Engineering*, 201512.
- Hui, X., Young-Jun, S. and Seungho, L. (2010). An integrated pedestrian behavior model based on extended decision field theory and social force model. *Proceedings of the Simulation Conference (WSC), Proceedings of the 2010 Winter*, pp. 824-836.
- Ibrahim, N., Mokri, S.S., Siong, L.Y., Mustafa, M.M. and Hussain, A. (2010). Snatch theft detection using low level. *Proceedings of the Proceedings of the World Congress on Engineering*, pp.
- Ibrahim, N., Mustafa, M.M., Mokri, S.S., Siong, L.Y. and Hussain, A. (2012). Detection of snatch theft based on temporal differences in motion flow field orientation histograms. *International Journal of Advancements in Computing Technology*, 4(12).
- Ihaddadene, N. and Djeraba, C. (2008). Real-time crowd motion analysis. *Proceedings of the Pattern Recognition, 2008. ICPR 2008. 19th International Conference on*, pp. 1-4.
- Jacques Junior, J.C.S., Raupp Musse, S. and Jung, C.R. (2010). Crowd analysis using computer vision techniques. *Signal Processing Magazine, IEEE*, 27(5), 66-77.
- Javan Roshtkhari, M. and Levine, M.D. (2013). An on-line, real-time learning method for detecting anomalies in videos using spatio-temporal compositions. *Computer Vision and Image Understanding*, 117(10), 1436-1452.
- Jing, G., Rajan, D. and Siong, C.E. (2005). Motion detection with adaptive background and dynamic thresholds. *Proceedings of the 2005 5th International Conference on Information Communications & Signal Processing*, pp. 41-45.
- Jing, Z., Yi, X., Xiaokang, Y. and Qing, Y. (2011). Crowd instability analysis using velocity-field based social force model. *Proceedings of the IEEE Visual Communications and Image Processing (VCIP), 2011* pp. 1-4.

- Jinhuan, W., Nan, L. and Lei, Z. (2015). Small group behaviors and their impacts on pedestrian evacuation. *Proceedings of the The 27th Chinese Control and Decision Conference (2015 CCDC)*, pp. 232-237.
- Johansson, A., Helbing, D., Al-Abideen, H.Z. and Al-Bosta, S. (2008). From crowd dynamics to crowd safety: A video-based analysis. *Advances in Complex Systems*, 11(04), 497-527.
- Kawamoto, K. (2010). A data assimilation method for estimating the parameters of a social force model for pedestrian motion analysis. *Proceedings of the World Automation Congress (WAC), 2010*, pp. 1-5.
- Kennedy, J. and Eberhart, R. (1995). Particle swarm optimization. *Proceedings of the Neural Networks, 1995. Proceedings., IEEE International Conference on*, pp. 1942-1948 vol.4.
- Kesrarat, D. and Patanavijit, V. (2011). Tutorial of motion estimation based on horn-schunk optical flow algorithm in matlab®.
- Khan, S.D., Vizzari, G., Bandini, S. and Basalamah, S. (2014). Detecting dominant motion flows and people counting in high density crowds.
- Ko, M., Kim, T. and Sohn, K. (2013). Calibrating a social-force-based pedestrian walking model based on maximum likelihood estimation. *Transportation*, 40(1), 91-107.
- Kobatake, H., Murakami, M., Takeo, H. and Nawano, S. (1999). Computerized detection of malignant tumors on digital mammograms. *IEEE transactions on medical imaging*, 18(5), 369-378.
- Kok, V.J., Lim, M.K. and Chan, C.S. Crowd behavior analysis: A review where physics meets biology. *Neurocomputing*.
- Kratz, L. and Nishino, K. (2009). Anomaly detection in extremely crowded scenes using spatio-temporal motion pattern models. *Proceedings of the Computer Vision and Pattern Recognition, 2009. CVPR 2009. IEEE Conference on*, pp. 1446-1453.
- Kratz, L. and Nishino, K. (2010). Tracking with local spatio-temporal motion patterns in extremely crowded scenes. *Proceedings of the Computer Vision and Pattern Recognition (CVPR), 2010 IEEE Conference on*, pp. 693-700.
- Krausz, B. and Bauckhage, C. (2012). Loveparade 2010: Automatic video analysis of a crowd disaster. *Computer Vision and Image Understanding*, 116(3), 307-319.
- Kumar, V. (2005). Parallel and distributed computing for cybersecurity. *IEEE Distributed Systems Online*, 6(10), 1.
- Leal-Taixé, L. and Rosenhahn, B. (2013). *Pedestrian interaction in tracking: The social force model and global optimization methods*. Ali, S., Nishino, K., Manocha, D. and Shah, M. (Eds.). Modeling, simulation and visual analysis of crowds. Springer New York.

- Lei, C. and Lin, W. (2015). Analysis and intervention in pedestrian evacuation via a modified social force model. *Proceedings of the Control and Decision Conference (CCDC), 2015 27th Chinese*, pp. 5924-5929.
- Lekien, F. and Marsden, J. (2005). Tricubic interpolation in three dimensions. *International Journal for Numerical Methods in Engineering*, 63(3), 455-471.
- Li, M., Zhao, Y., He, L., Chen, W. and Xu, X. (2015). The parameter calibration and optimization of social force model for the real-life 2013 ya'an earthquake evacuation in china. *Safety Science*, 79243-253.
- Li, W., Mahadevan, V. and Vasconcelos, N. (2014). Anomaly detection and localization in crowded scenes. *IEEE transactions on pattern analysis and machine intelligence*, 36(1), 18-32.
- Lim, M.K. (2014). *Abnormal event detection in video surveillance/lim mei kuan*. University of Malaya.
- Lin, J. (2014). Advanced digital security & surveillance solution.
- Long, Q., Quan-Jun, Y., Hao-Hao, C. and Wei, C. (2011). Rule-drove social force behavior modeling. *Proceedings of the International Conference on Intelligent Human-Machine Systems and Cybernetics (IHMSC), 2011* pp. 53-57.
- Lu, N., Wang, J., Wu, Q. and Yang, L. (2008). An improved motion detection method for real-time surveillance. *IAENG International Journal of Computer Science*, 35(1), 1-10.
- Luber, M., Stork, J.A., Tipaldi, G.D. and Arras, K.O. (2010). People tracking with human motion predictions from social forces. *Proceedings of the IEEE International Conference on Robotics and Automation (ICRA), 2010* pp. 464-469.
- Ma, K., Doescher, M. and Bodden, C. (2014). Anomaly detection in crowded scenes using dense trajectories. *Proceedings of the Conference Proceedings*, pp.
- Mahadevan, V., Weixin, L., Bhalodia, V. and Vasconcelos, N. (2010). Anomaly detection in crowded scenes. *Proceedings of the Computer Vision and Pattern Recognition (CVPR), 2010 IEEE Conference on*, pp. 1975-1981.
- Manzanera, A. and Richefeu, J.C. (2007). A new motion detection algorithm based on  $\sigma$ - $\delta$  background estimation. *Pattern Recognition Letters*, 28(3), 320-328.
- Mazzon, R. and Cavallaro, A. (2013). Multi-camera tracking using a multi-goal social force model. *Neurocomputing*, 10041-50.
- Mehran, R., Moore, B.E. and Shah, M. (2010). *A streakline representation of flow in crowded scenes*. (Eds.). Computer vision—eccv 2010. Springer.
- Mehran, R., Oyama, A. and Shah, M. (2009). Abnormal crowd behavior detection using social force model. *Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition, 2009. CVPR 2009.*, pp. 935-942.

- Ming, T. and Hongfei, J. (2011). An approach for calibration and validation of the social force pedestrian model. *Proceedings of the Conference on Transportation, Mechanical, and Electrical Engineering (TMEE), 2011 International* pp. 2026-2031.
- Musse, S. and Thalmann, D. (2012). Group inter-relationship and collision detection analysis. *Proceedings of the Computer Animation and Simulation'97: Proceedings of the Eurographics Workshop in Budapest, Hungary, September 2-3, 1997*, pp. 39.
- Musse, S.R. and Thalmann, D. (1997). *A model of human crowd behavior : Group inter-relationship and collision detection analysis*. Thalmann, D. and Van De Panne, M. (Eds.). Computer animation and simulation '97. Springer Vienna.
- Najafabadi, M.M. and Rahmati, M. (2012). Anomaly detection in structured/unstructured crowd scenes. *Proceedings of the Digital Information Management (ICDIM), 2012 Seventh International Conference on*, pp. 79-83.
- Nam, Y. and Hong, S. (2014). Real-time abnormal situation detection based on particle advection in crowded scenes. *Journal of Real-Time Image Processing*, 1-14.
- Nam, Y. and Hong, S. (2015). Real-time abnormal situation detection based on particle advection in crowded scenes. *Journal of Real-Time Image Processing*, 10(4), 771-784.
- Narain, R., Golas, A., Curtis, S. and Lin, M.C. (2009). Aggregate dynamics for dense crowd simulation. *Proceedings of the ACM Transactions on Graphics (TOG)*, pp. 122.
- P., G., Temizel, A. and Temizel, T.T. (2013). An unsupervised method for anomaly detection from crowd videos. *Proceedings of the Signal Processing and Communications Applications Conference (SIU), 2013 21st*, pp. 1-4.
- Pellegrini, S., Ess, A., Schindler, K. and Van Gool, L. (2009). You'll never walk alone: Modeling social behavior for multi-target tracking. *Proceedings of the IEEE 12th International Conference on Computer Vision , 2009*, pp. 261-268.
- Power, P.W. and Schoonees, J.A. (2002). Understanding background mixture models for foreground segmentation. *Proceedings of the Proceedings image and vision computing New Zealand*, pp. 10-11.
- Qian-Ling, W., Yao, C., Hai-Rong, D., Min, Z. and Bin, N. (2015). A new collision avoidance model for pedestrian dynamics. *Chinese Physics B*, 24(3), 038901.
- Qin, L., Yin, Q.-j., Cui, H.-h. and Chen, W. (2011). Rule-drove social force behavior modeling. *Proceedings of the Intelligent Human-Machine Systems and Cybernetics (IHMSC), 2011 International Conference on*, pp. 53-57.



- Raghavendra, R., Cristani, M., Del Bue, A., Sangineto, E. and Murino, V. (2013). *Anomaly detection in crowded scenes: A novel framework based on swarm optimization and social force modeling*. Ali, S., Nishino, K., Manocha, D. and Shah, M. (Eds.). Modeling, simulation and visual analysis of crowds. Springer New York.
- Raghavendra, R., Del Bue, A., Cristani, M. and Murino, V. (2011a). *Abnormal crowd behavior detection by social force optimization*. (Eds.). Human behavior understanding. Springer Berlin Heidelberg.
- Raghavendra, R., Del Bue, A., Cristani, M. and Murino, V. (2011b). Optimizing interaction force for global anomaly detection in crowded scenes. *Proceedings of the IEEE International Conference on Computer Vision Workshops (ICCV Workshops), 2011*, pp. 136-143.
- Rajapakse, J.C. and Kruggel, F. (1998). Segmentation of mr images with intensity inhomogeneities. *Image and Vision Computing*, 16(3), 165-180.
- Ratsamee, P., Mae, Y., Ohara, K., Takubo, T. and Arai, T. (2012). Modified social force model with face pose for human collision avoidance. *Proceedings of the 7th ACM/IEEE International Conference on Human-Robot Interaction (HRI), 2012* pp. 215-216.
- Regazzoni, C.S., Tesei, A. and Murino, V. (1993). A real-time vision system for crowding monitoring. *Proceedings of the Industrial Electronics, Control, and Instrumentation, 1993. Proceedings of the IECON '93., International Conference on*, pp. 1860-1864 vol.3.
- Ren, W.Y., Li, G.H., Chen, J. and Liang, H.Z. (2012). Abnormal crowd behavior detection using behavior entropy model. *Proceedings of the 2012 International Conference on Wavelet Analysis and Pattern Recognition*, pp. 212-221.
- Ren, Y., Chua, C.-S. and Ho, Y.-K. (2003). Motion detection with nonstationary background. *Machine Vision and Applications*, 13(5-6), 332-343.
- Roy, S. and Bandyopadhyay, S.K. (2012). Detection and quantification of brain tumor from mri of brain and it's symmetric analysis. *International Journal of Information and Communication Technology Research*, 2(6).
- Saboia, P. and Goldenstein, S. (2011). Crowd simulation: Improving pedestrians' dynamics by the application of lattice-gas concepts to the social force model. *Proceedings of the 24th SIBGRAPI Conference on Graphics, Patterns and Images (Sibgrapi), 2011* pp. 41-47.
- Saboia, P. and Goldenstein, S. (2012). Crowd simulation: Applying mobile grids to the social force model. *The Visual Computer*, 28(10), 1039-1048.
- Salamati, P. and Rahimi-Movaghar, V. Hajj stampede in mina, 2015: Need for intervention.

- Samsudin, W. and Ghazali, K. (2012). *Motion detection using horn-schunck optical flow*. Kim, T.-H., Ko, D.-S., Vasilakos, T., Stoica, A. and Abawajy, J. (Eds.). Computer applications for communication, networking, and digital contents. Springer Berlin Heidelberg.
- Sandhan, T., Sethi, A., Srivastava, T. and Choi, J.Y. (2013). Unsupervised learning approach for abnormal event detection in surveillance video by revealing infrequent patterns. *Proceedings of the 2013 28th International Conference on Image and Vision Computing New Zealand (IVCNZ 2013)*, pp. 494-499.
- Sang-Hyun, C. and Hang-Bong, K. (2012). Integrated multiple behavior models for abnormal crowd behavior detection. *Proceedings of the IEEE Southwest Symposium on Image Analysis and Interpretation (SSIAI), 2012*, pp. 113-116.
- Shi, Y., Gao, Y. and Wang, R. (2010). Real-time abnormal event detection in complicated scenes. *Proceedings of the Pattern Recognition (ICPR), 2010 20th International Conference on*, pp. 3653-3656.
- Silar, Z. and Dobrovolsky, M. (2011). Comparison of two optical flow estimation methods using matlab. *Proceedings of the 2011 International Conference on Applied Electronics*, pp.
- Slaby, A. (2007). Roc analysis with matlab. *Proceedings of the 2007 29th International Conference on Information Technology Interfaces*, pp. 191-196.
- Sochman, J. and Hogg, D.C. (2011). Who knows who - inverting the social force model for finding groups. *Proceedings of the IEEE International Conference on Computer Vision Workshops (ICCV Workshops), 2011*, pp. 830-837.
- Soori, U. and Arshad, M.R. (2008). Underwater crowd flow detection using lagrangian dynamics.
- Spagnolo, P., D'orazio, T., Leo, M. and Distanti, A. (2005). Advances in background updating and shadow removing for motion detection algorithms. *Proceedings of the International Conference on Computer Analysis of Images and Patterns*, pp. 398-406.
- Spence, C., Parra, L. and Sajda, P. (2001). Detection, synthesis and compression in mammographic image analysis with a hierarchical image probability model. *Proceedings of the Mathematical Methods in Biomedical Image Analysis, 2001. MMBIA 2001. IEEE Workshop on*, pp. 3-10.
- Stannett, M., Romano, D. and Kurdi, O. (2015). Modeling and simulation of tawaf and sa'yee: A survey of recent work in the field.
- Stauffer, C. and Grimson, W.E.L. (1999). Adaptive background mixture models for real-time tracking. *Proceedings of the Computer Vision and Pattern Recognition, 1999. IEEE Computer Society Conference on*, pp.
- Strickland, R.N. (2002). *Image-processing techniques for tumor detection*. CRC Press.

- Su, H., Yang, H., Zheng, S., Fan, Y. and Wei, S. (2013). The large-scale crowd behavior perception based on spatio-temporal viscous fluid field. *IEEE Transactions on Information Forensics and Security*, 8(10), 1575-1589.
- Sultani, W. and Choi, J.Y. (2010). Abnormal traffic detection using intelligent driver model. *Proceedings of the Pattern Recognition (ICPR), 2010 20th International Conference on*, pp. 324-327.
- Sun, X., Yao, H., Ji, R., Liu, X. and Xu, P. (2011). Unsupervised fast anomaly detection in crowds. *Proceedings of the Proceedings of the 19th ACM international conference on Multimedia*, pp. 1469-1472.
- Teng, L., Huan, C., Meng, W., Bingbing, N., Richang, H. and Shuicheng, Y. (2015). Crowded scene analysis: A survey. *Circuits and Systems for Video Technology, IEEE Transactions on*, 25(3), 367-386.
- Thida, M., How-Lung, E. and Remagnino, P. (2013). Laplacian eigenmap with temporal constraints for local abnormality detection in crowded scenes. *Cybernetics, IEEE Transactions on*, 43(6), 2147-2156.
- Tran, K.N., Gala, A., Kakadiaris, I.A. and Shah, S.K. (2014). Activity analysis in crowded environments using social cues for group discovery and human interaction modeling. *Pattern Recognition Letters*, 4449-57.
- Wan, J., Sui, J. and Yu, H. (2014). Research on evacuation in the subway station in china based on the combined social force model. *Physica A: Statistical Mechanics and its Applications*, 39433-46.
- Wang, B., Ye, M., Li, X. and Zhao, F. (2011). Abnormal crowd behavior detection using size-adapted spatio-temporal features. *International Journal of Control, Automation and Systems*, 9(5), 905-912.
- Wang, B., Ye, M., Li, X., Zhao, F. and Ding, J. (2012). Abnormal crowd behavior detection using high-frequency and spatio-temporal features. *Machine Vision and Applications*, 23(3), 501-511.
- Wang, C. and Weng, W. (2014). Study on evacuation characteristics in an ultra high-rise building with social force model. *Proceedings of the 17th International IEEE Conference on Intelligent Transportation Systems (ITSC)*, pp. 566-571.
- Wang, T. and Snoussi, H. (2015). Detection of abnormal events via optical flow feature analysis. *Sensors*, 15(4), 7156-7171.
- Weixin, L., Mahadevan, V. and Vasconcelos, N. (2014). Anomaly detection and localization in crowded scenes. *Pattern Analysis and Machine Intelligence, IEEE Transactions on*, 36(1), 18-32.
- Werner, T. and Helbing, D. (2003). The social force pedestrian model applied to real life scenarios. *Proceedings of the Pedestrian and Evacuation Dynamics*, pp. 17-26.

- Wu, S., Moore, B.E. and Shah, M. (2010). Chaotic invariants of lagrangian particle trajectories for anomaly detection in crowded scenes. *Proceedings of the Computer Vision and Pattern Recognition (CVPR), 2010 IEEE Conference on*, pp. 2054-2060.
- Wu, S., Wong, H.-S. and Yu, Z. (2014). A bayesian model for crowd escape behavior detection. *IEEE transactions on circuits and systems for video technology*, 24(1), 85-98.
- Wu, X., Ou, Y., Qian, H. and Xu, Y. (2005). A detection system for human abnormal behavior. *Proceedings of the 2005 IEEE/RSJ International Conference on Intelligent Robots and Systems*, pp. 1204-1208.
- Xu, M., Wu, Y., Lv, P., Jiang, H., Luo, M. and Ye, Y. (2015). Misfm: On combination of mutual information and social force model towards simulating crowd evacuation. *Neurocomputing*, 168529-537.
- Yan, X., Kakadiaris, I.A. and Shah, S.K. (2014). Modeling local behavior for predicting social interactions towards human tracking. *Pattern Recognition*, 47(4), 1626-1641.
- Yanfei, Y. and Yonglin, M. (2011). Simulation of influence of desired velocity distribution and herd effect on pedestrian evacuation. *Proceedings of the Seventh International Conference on Computational Intelligence and Security (CIS), 2011* pp. 325-328.
- Yang, T., Li, S.Z., Pan, Q. and Li, J. (2004). Real-time and accurate segmentation of moving objects in dynamic scene. *Proceedings of the Proceedings of the ACM 2nd international workshop on Video surveillance & sensor networks*, pp. 136-143.
- Yang, Y., Jingen, L. and Shah, M. (2009). Video scene understanding using multi-scale analysis. *Proceedings of the Computer Vision, 2009 IEEE 12th International Conference on*, pp. 1669-1676.
- Yanga, Y., Hea, X., Zhoua, Y., Tenga, Q. and Fub, Y. (2014). Detection and recognition of abnormal events in crowds based on visual technologies\*. *Journal of Information & Computational Science*, 111443-1453.
- Yanhao, Z., Lei, Q., Hongxun, Y. and Qingming, H. (2012). Abnormal crowd behavior detection based on social attribute-aware force model. *Proceedings of the Image Processing (ICIP), 2012 19th IEEE International Conference on*, pp. 2689-2692.
- Yanhao, Z., Lei, Q., Rongrong, J., Hongxun, Y. and Qingming, H. (2015). Social attribute-aware force model: Exploiting richness of interaction for abnormal crowd detection. *Circuits and Systems for Video Technology, IEEE Transactions on*, 25(7), 1231-1245.

- Yaseen, S., Al-Habaibeh, A., Su, D. and Otham, F. (2013). Real-time crowd density mapping using a novel sensory fusion model of infrared and visual systems. *Safety Science*, 57313-325.
- Yen, S.H. and Wang, C.H. (2013). Abnormal event detection using hosf. *Proceedings of the IT Convergence and Security (ICITCS), 2013 International Conference on*, pp. 1-4.
- Yin, H., Li, D. and Zheng, X. (2014). An energy based method to measure the crowd safety. *Transportation Research Procedia*, 2691-696.
- Yin, Y., Liu, Q. and Mao, S. (2015). Global anomaly crowd behavior detection using crowd behavior feature vector. *International Journal of Smart Home*, 9(12), 149-160.
- Yu, T.-H. and Moon, Y.S. (2009). Unsupervised abnormal behavior detection for real-time surveillance using observed history. *Proceedings of the MVA*, pp. 166-169.
- Yuan, G., Luh, P.B., Hui, Z. and Tao, C. (2013). A modified social force model considering relative velocity of pedestrians. *Proceedings of the IEEE International Conference on Automation Science and Engineering (CASE), 2013*, pp. 747-751.
- Zainuddin, Z. and Shuaib, M. (2010a). Incorporating decision making capability into the social force model in unidirectional flow. *Research Journal of Applied Sciences*, 5(6), 388-393.
- Zainuddin, Z. and Shuaib, M. (2010b). Modification of the decision-making capability in the social force model for the evacuation process. *Transport Theory and Statistical Physics*, 39(1), 47-70.
- Zainuddin, Z. and Shuaib, M. (2011). Modelling the independence factor and its effect on the preferred force of the social force model in emergency and non-emergency situations. *Appl. Math. Inf. Sci*, 5(1), 53-64.
- Zainuddin, Z., Thinakaran, K. and Shuaib, M. (2010). Simulation of the pedestrian flow in the tawaf area using the social force model. *Simulation*, 56211179.
- Zhaofeng, L. and Yichuan, J. (2012). A friction based social force model for group behaviors. *Proceedings of the IEEE/WIC/ACM International Conferences on Web Intelligence and Intelligent Agent Technology (WI-IAT), 2012* pp. 1-8.
- Zhu, X., Liu, J., Wang, J., Fu, W. and Lu, H. (2013). *Weighted interaction force estimation for abnormality detection in crowd scenes*. Lee, K.M., Matsushita, Y., Rehg, J.M. and Hu, Z. (Eds.). Computer vision – accv 2012: 11th asian conference on computer vision, daejeon, korea, november 5-9, 2012, revised selected papers, part iii. Berlin, Heidelberg: Springer Berlin Heidelberg.